

J.P.R PAINTS LTD.

**UNIT 37 SUGAR STREET
AINTREE
LIVERPOOL L9 7BD**

**TEL:-0151-525-0008
FAX:-0151-286-8632
MOBILE:-07770 427738**

MATERIAL SAFETY DATA SHEET 1

PRODUCT WEATHERTONE FENCE & SHED TREATMENT PAGE 1 OF 4

1

COMPANY AND CHEMICAL PRODUCT INFORMATION

JPR PAINT COATINGS
UNIT 37 SUGAR STREET
AINTREE
LIVERPOOL L97 BP
TELE:-0151-525-0008
FAX:- 0151-286-8632
EMAIL products@WEATHERTONE.CO.UK
EMERGENCY TEL 0151-525-0008

GENERIC DESCRIPTION

PIGMENTED DISPERSION IN WATER
BASED RESIN/SURFACTANT
SOLUTION

PHYSICAL FORM	LIQUID
----------------------	---------------

**USE:- TIMBER PRESERVATION AND
DECORATIVE TREATMENT**

2

ACTIVE COMPONENTS

COMPONENT	WEIGHT RANGE
------------------	---------------------

SODIUM ORTHO PHENYL PHENATE

10%

3

HAZARD IDENTIFICATION

**LIMITED AND LOW HAZARD ENVIRONMENTALLY - BIO DEGRADABLE
CONCENTRATED AMOUNTS MAY BE DANGEROUS TO AQUATIC ENVIRONMENT.**

4

FIRST AID MEASURES

EYES IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, SEEK MEDICAL ATTENTION.

SKIN REMOVE FROM SKIN AND FLUSH WITH WATER. SEEK MEDICAL ADVICE IF IRRITATION DEVELOPS.

INHALATION REMOVE TO FRESH AIR.

INGESTION IF ACCIDENTALLY SWALLOWED OBTAIN IMMEDIATE MEDICAL ADVICE.

DO NOT INDUCE VOMITING

J.P.R PAINTS LTD.

**UNIT 37 SUGAR STREET
AINTREE
LIVERPOOL L9 7BD**

**TEL:-0151-525-0008
FAX:-0151-286-8632
MOBILE:-07770 427738**

MATERIAL SAFETY DATA SHEET 2

PRODUCT WEATHERTONE FENCE & SHED TREATMENT PAGE 2 OF 4

5

FIRE FIGHTING MEASURES NON FLAMMABLE

6

ACCIDENTAL RELEASE MEASURES

CONTAIN AND COLLECT SPILLAGES WITH ABSORBENT MATERIALS EG, SAND, EARTH AND PLACE IN A SUITABLE CONTAINER FOR DISPOSAL IN ACCORDANCE WITH WASTE REGULATIONS. DO NOT ALLOW TO ENTER DRAINS OR WATER COURSES. CLEAN PREFERABLY WITH WATER OR DETERGENT, AVOID USE OF SOLVENTS. IF PRODUCT ENTERS DRAINS OR SEWERS THE LOCAL WATER COMPANY SHOULD BE CONTACTED IMMEDIATELY. IN CASE OF CONTAMINATION OF STREAMS, RIVERS OR LAKES CONTACT THE NATIONAL RIVER AUTHORITY.

7

HANDLING AND STORAGE

AVOID SKIN AND EYE CONTACT, EATING AND DRINKING SHOULD BE PROHIBITED IN STORAGE AND USE. STORE BETWEEN 5c AND 25c PROTECT FROM FROST.

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION	USE IN WELL VENTILATED AREAS
HAND PROTECTION	USE GLOVES EG, RUBBER GLOVES
EYE PROTECTION	GLASSES SHOULD BE WORN
SKIN PROTECTION	WEAR COTTON/SYNTHETIC OVERALLS OR COVERALLS.

9

PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT	NON FLAMMABLE
VISCOSITY	WATER THIN
SPECIFIC GRAVITY	1.0

J.P.R PAINTS LTD.

**UNIT 37 SUGAR STREET
AINTREE
LIVERPOOL L9 7BD**

**TEL:-0151-525-0008
FAX:-0151-286-8632
MOBILE:-07770 427738**

MATERIAL SAFETY DATA SHEET 3

PRODUCT WEATHERTONE FENCE & SHED TREATMENT PAGE 3 OF 4

10

STABILITY AND REACTIVITY

STABLE UNDER THE RECOMMENDED STORAGE AND HANDLING CONDITIONS (SEE SECTION 7)

11

TOXICOLOGICAL INFORMATION

COMPONENT	WEIGHT RANGE
SODIUM ORTHO PHENYL PHENATE	10%
ORAL RAT	N/A

12

ECOLOGICAL CONSIDERATIONS

MOBILITY	SOLUBLE IN WATER
DEGRADABILITY	BIO DEGRADABLE
BIO ACCUMULATION	NO DATA
OTHER ADVERSE EFFECTS	NONE KNOWN

13

DISPOSAL CONSIDERATIONS

DO NOT ALLOW INTO DRAINS OR WATER COURSES OR DISPOSE WHERE GROUND MAY BE AFFECTED. WASTES INCLUDING EMPTIED CONTAINERS SHOULD BE DISPOSED OF IN ACCORDANCE WITH REGULATIONS MADE UNDER THE CONTROL OF POLLUTION ACT AND THE ENVIRONMENTAL ACT.

J.P.R PAINTS LTD.

**UNIT 37 SUGAR STREET
AINTREE
LIVERPOOL L9 7BD**

**TEL:-0151-525-0008
FAX:-0151-286-8632
MOBILE:-07770 427738**

MATERIAL SAFETY DATA SHEET 4

PRODUCT WEATHERTONE FENCE & SHED TREATMENT PAGE 4 OF 4

14 TRANSPORT

HAZARD CLASS INFORMATION	NON HAZARDOUS
PROPER SHIPPING NAME	WOOD TREATMENT
HSE NO 5628	

15 REGULARITORY INFORMATION

HAZARD SYMBOL	ST ANDREWS CROSS/HARMFUL
RISK PHRASES	R22 HARMFUL IF SWALLOWED
SAFETY PHRASES	S23 DO NOT BREATH SPRAY
PRECAUTIONARY PHRASES	KEEP OUT OF REACH OF CHILDREN

16 ADDITIONAL INFORMATION

R22 HARMFUL IF SWALLOWED

EVERY CONSIDERATION HAS BEEN UNDERTAKEN TO CONFIRM THE ABOVE INFORMATION IS CORRECT, BUT DOES NOT PURPORT TO BE ALL INCLUSIVE, AND THE USER MUST ENQUIRE AS TO THE SUITABILITY OF OUR PRODUCT PRIOR TO ANY INTENDED USE.